File 348:EUROPEAN PATENTS 1978-2003/Mar W04

(c) 2003 European Patent Office
File 349:PCT FULLTEXT 1979-2002/UB=20030327,UT=20030320
(c) 2003 WIPO/Univentio

Set	Items	Description
S1	3	AU='KAUFMAN STEVEN B'
S2	2	AU='VESCHI JOHN P'
S3	0	S1 AND S2

```
1/5/1 (Item 1 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2003 European Patent Office. All rts. reserv.
```

01029656

Wireless remote synchronization of data between PC & PDA Drahtlose Fern-Synchronisation von Daten zwischen PC und PDA Synchronisation sans fil eloignee entre PC et PDA PATENT ASSIGNEE:

LUCENT TECHNOLOGIES INC., (2143720), 600 Mountain Avenue, Murray Hill, New Jersey 07974-0636, (US), (applicant designated states: AT;BE;CH;CY;DE;DK;ES;FI;FR;GB;GR;IE;IT;LI;LU;MC;NL;PT;SE) INVENTOR:

Kaufman, Steven B. , 4 Joshua Lane, Bridgewater, New Jersey 08807, (US LEGAL REPRESENTATIVE:

Buckley, Christopher Simon Thirsk et al (28912), Lucent Technologies (UK)
Ltd, 5 Mornington Road, Woodford Green, Essex IG8 OTU, (GB)
PATENT (CC, No, Kind, Date): EP 917077 A2 990519 (Basic)
APPLICATION (CC, No, Date): EP 98309401 981117;
PRIORITY (CC, No, Date): US 972453 971118
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;
LU; MC; NL; PT; SE
INTERNATIONAL PATENT CLASS: G06F-017/60;

ABSTRACT EP 917077 A2

The present invention utilizes wireless communication paths between a PC (600) and a Personal Digital Assistant (PDA) (602) to synchronize data files between the PC and the PDA. Example wireless communication paths include a one; way paging network, a two-way paging network (152), a Cellular Digital Packet Data (CDPD) network, and a cordless telephone network. Automated updating of remote files is accomplished by invisibly updating using a paging or CDPD network, e.g., either after each change to the data file, after a series of changes to the data file, after exiting the scheduling application program, at predetermined intervals and/or even on-demand. The invention provides a simple and efficient wireless way to synchronize data files on separate computers which do not require a fixed, direct connection to each other, such as a direct connection through the PSTN, infrared link, or wired or wireless LAN type connection. The synchronization of data files can be updated on a frequent, inconspicuous and convenient basis.

ABSTRACT WORD COUNT: 161

LEGAL STATUS (Type, Pub Date, Kind, Text):

Application: 990519 A2 Published application (Alwith Search Report ;A2without Search Report)

LANGUAGE (Publication, Procedural, Application): English; English; FULLTEXT AVAILABILITY:

Available Text Language Update Word Count 9920 -404 CLAIMS A (English) 3404 9920 SPEC A (English) Total word count - document A 3808 Total word count - document B O Total word count - documents A + B 3808 ?ds

Set Items Description
S1 3 AU='KAUFMAN STEVEN B'
S2 2 AU='VESCHI JOHN P'
S3 0 S1 AND S2
?t s1/5/all

1/5/1 (Item 1 from file: 348) DIALOG(R) File 348: EUROPEAN PATENTS

(c) 2003 European Patent Office. All rts. reserv.

01029656

Wireless remote synchronization of data between PC & PDA Drahtlose Fern-Synchronisation von Daten zwischen PC und PDA Synchronisation sans fil eloignee entre PC et PDA PATENT ASSIGNEE:

LUCENT TECHNOLOGIES INC., (2143720), 600 Mountain Avenue, Murray Hill, New Jersey 07974-0636, (US), (applicant designated states: AT;BE;CH;CY;DE;DK;ES;FI;FR;GB;GR;IE;IT;LI;LU;MC;NL;PT;SE)
INVENTOR:

Kaufman, Steven B. , 4 Joshua Lane, Bridgewater, New Jersey 08807, (US LEGAL REPRESENTATIVE:

Buckley, Christopher Simon Thirsk et al (28912), Lucent Technologies (UK)
Ltd, 5 Mornington Road, Woodford Green, Essex IG8 OTU, (GB)
PATENT (CC, No, Kind, Date): EP 917077 A2 990519 (Basic)
APPLICATION (CC, No, Date): EP 98309401 981117;
PRIORITY (CC, No, Date): US 972453 971118
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;
LU; MC; NL; PT; SE
INTERNATIONAL PATENT CLASS: G06F-017/60;

ABSTRACT EP 917077 A2

The present invention utilizes wireless communication paths between a PC (600) and a Personal Digital Assistant (PDA) (602) to synchronize data files between the PC and the PDA. Example wireless communication paths include a one; way paging network, a two-way paging network (152), a Cellular Digital Packet Data (CDPD) network, and a cordless telephone network. Automated updating of remote files is accomplished by invisibly updating using a paging or CDPD network, e.g., either after each change to the data file, after a series of changes to the data file, after exiting the scheduling application program, at predetermined intervals and/or even on-demand. The invention provides a simple and efficient wireless way to synchronize data files on separate computers which do not require a fixed, direct connection to each other, such as a direct connection through the PSTN, infrared link, or wired or wireless LAN type connection. The synchronization of data files can be updated on a frequent, inconspicuous and convenient basis.

ABSTRACT WORD COUNT: 161

LEGAL STATUS (Type, Pub Date, Kind, Text):

Application: 990519 A2 Published application (Alwith Search Report ;A2without Search Report)

LANGUAGE (Publication, Procedural, Application): English; English; English FULLTEXT AVAILABILITY:

Available Text Language Word Count Update 404 CLAIMS A (English) 9920 3404 SPEC A (English) 9920 3808 Total word count - document A Total word count - document B 0 3808 Total word count - documents A + B

1/5/2 (Item 2 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2003 European Patent Office. All rts. reserv.

00993603

Answering machine providing paging option Anrufbeantworter mit Personensuchoption

Repondeur telephonique muni d'une option d'appel selectif de personnes PATENT ASSIGNEE:

LUCENT TECHNOLOGIES INC., (2143720), 600 Mountain Avenue, Murray Hill, New Jersey 07974-0636, (US), (applicant designated states: AT;BE;CH;CY;DE;DK;ES;FI;FR;GB;GR;IE;IT;LI;LU;MC;NL;PT;SE)

INVENTOR:

Kaufman, Steven B., 717 N. Second Street, Emmaus, Pennsylvania 18049,

(US

LEGAL REPRESENTATIVE:

Buckley, Christopher Simon Thirsk et al (28912), Lucent Technologies (UK) Ltd, 5 Mornington Road, Woodford Green, Essex IG8 OTU, (GB)

PATENT (CC, No, Kind, Date): EP 898406 A2 990224 (Basic)

EP 98306564 980818; APPLICATION (CC, No, Date):

PRIORITY (CC, No. Date): US 915779 970821

DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI; LU; MC; NL; PT; SE

INTERNATIONAL PATENT CLASS: H04M-001/65;

ABSTRACT EP 898406 A2

A telephone call handling device includes an incoming call select unit (111), a calling unit (113), and a recording unit (115). The incoming call select unit (111) provides a prompt to an incoming caller and responds to a selection made by the incoming caller. The calling unit (113) selectively calls a forwarding number in response to the selection made by the incoming caller. The recording unit (115) selectively records a message in response to the selection made by the incoming caller. In an alternative embodiment, a method of handling an incoming call includes the steps of providing a prompt to an incoming caller, receiving a response from the incoming caller, and selectively calling a forwarding number based on the received response.

ABSTRACT WORD COUNT: 122

LEGAL STATUS (Type, Pub Date, Kind, Text):

011017 A2 Date of withdrawal of application: 20010815 Withdrawal: Application: 990224 A2 Published application (Alwith Search Report

; A2without Search Report)

4090

LANGUAGE (Publication, Procedural, Application): English; English; English FULLTEXT AVAILABILITY:

Update Word Count Available Text Language (English) 9907 521 CLAIMS A SPEC A . (English) 9907 3569 Total word count - document A 4090 Total word count - document B 0

(Item 3 from file: 348)

Total word count - documents A + B

DIALOG(R) File 348: EUROPEAN PATENTS (c) 2003 European Patent Office. All rts. reserv.

00993554

1/5/3

Caller id automated paging

Automatisierte Personenrufsteuerung mit Anruferidentifikationsubertragung Appel de personne automatise avec transmission de l'identite de l'appelant PATENT ASSIGNEE:

LUCENT TECHNOLOGIES INC., (2143720), 600 Mountain Avenue, Murray Hill, New Jersey 07974-0.636, (US), (applicant designated states: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI; LU; MC; NL; PT; SE) INVENTOR:

Kaufman, Steven B., 717 N. Second Street, Emmaus, Pennsylvania 18049, (US

LEGAL REPRESENTATIVE:

Watts, Christopher Malcolm Kelway, Dr. et al (37391), Lucent Technologies (UK) Ltd, 5 Mornington Road, Woodford Green Essex, IG8 0TU, (GB)

PATENT (CC, No, Kind, Date): EP 898407 A2 990224 (Basic)

EP 98306388 980811; APPLICATION (CC, No, Date):

PRIORITY (CC, No, Date): US 915780 970821

DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI; LU; MC; NL; PT; SE

INTERNATIONAL PATENT CLASS: H04M-003/42; H04M-011/02; H04M-003/02; H04M-003/50; ·

ABSTRACT EP 898407 A2

According to the invention, a telephone call handling device includes a decoder (111) adapted to decode call related information received with an incoming call, and a calling unit (113) adapted to call a paging number with a message based on the call related information. In an alternative embodiment, a method of handling an incoming call includes counting the number of ring signals in the incoming call in a ring detector (115), decoding call related information from the incoming call, and selectively calling a paging number with a message based on the call related information if the number of rings counted in the counting step exceeds a predetermined threshold.

ABSTRACT WORD COUNT: 109

LEGAL STATUS (Type, Pub Date, Kind, Text):

Withdrawal: 020123 A2 Date of withdrawal of application: 20011122
Application: 990224 A2 Published application (Alwith Search Report; A2without Search Report)

LANGUAGE (Publication, Procedural, Application): English; English; English

FULLTEXT AVAILABILITY:

Available Text Language Update Word Count CLAIMS A (English) 9907 591 SPEC A (English) 9907 3630

Total word count - document A 4221

Total word count - document B 0

Total word count - documents A + B 4221

```
(Item 1 from file: 348)
DIALOG(R) File 348: EUROPEAN PATENTS
(c) 2003 European Patent Office. All rts. reserv.
01257122
Adaptive microwave oven associated with a communication device, for example
    a cordless telephone
Mit einer Kommunikationsvorrichtung verbundener adaptiver Mikrowelenofen,
    zum Beispiel ein schnurloses Telefon
Four a micro-ondes adaptif associe a un dispositif de communication, par
    exemple un telephone sans fil
PATENT ASSIGNEE:
  LUCENT TECHNOLOGIES INC., (2143720), 600 Mountain Avenue, Murray Hill,
    New Jersey 07974-0636, (US), (Applicant designated States: all)
INVENTOR:
  Ubowski, Richard M., 537 Paterno Drive, Harleysville, Pennsylvania 19438,
   Veschi, John P., 8468 Oak Knoll Street, Fogelsville, Pennsylvania 18051
    , (US
LEGAL REPRESENTATIVE:
  Williams, David John et al (86433), Page White & Farrer, 54 Doughty
    Street, London WC1N 2LS, (GB)
PATENT (CC, No, Kind, Date): EP 1085785 A2 010321 (Basic)
                              EP 307861 000911;
APPLICATION (CC, No, Date):
PRIORITY (CC, No, Date): US 399147 990920
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;
  LU; MC; NL; PT; SE
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS: H05B-006/80
ABSTRACT EP 1085785 A2
    The present invention provides an adaptive microwave oven capable of
  entering an operation mode which avoids interference with a communication
  device either upon detection of a communication from a communication
  device (e.g., a cordless telephone) operating in a microwave frequency
  range, or upon receipt of a command indicating the operation of a
  microwave device such as a cordless telephone through a suitable network
  (e.g., a piconet using Bluetooth Technology). In one embodiment, a
  cooking mode of a microwave oven is paused (or significantly reduced) to
  best avoid interference with microwave signals between a remote handset
  and a matching base unit of a cordless telephone. The activity of
  microwave communications within the vicinity of the adaptive microwave
  oven can be determined, e.g., using a passive cordless telephone receiver
  which detects communication activity in the microwave range, or using
  direct communications from the cordless telephone using a suitable
  wireless network, e.g., a piconet using Bluetooth technology. In another
  embodiment, the frequency of an adaptive microwave oven capable of
  generating microwave energy at any of a plurality of microwave frequency
  ranges is controlled in accordance with the microwave frequency used by
  an electronic device (e.g., a cordless telephone) in the vicinity of the
  adaptive microwave oven. In this embodiment, a cordless telephone
  receiver can provide a controller for the adaptive microwave oven with
  passively detected information regarding the frequency of communication
  traffic in the vicinity of the microwave oven, or a wireless network can
  be used to provide frequency information directly between the relevant
  electronic device (e.g., cordless telephone) and the adaptive microwave
ABSTRACT WORD COUNT: 262
NOTE:
  Figure number on first page: 1
LEGAL STATUS (Type, Pub Date, Kind, Text):
                  010321 A2 Published application without search report
 Application:
                  010516 A2 Legal representative(s) changed 20010329
```

LANGUAGE (Publication, Procedural, Application): English; English

```
FULLTEXT AVAILABILITY:
Available Text Language
                                     Word Count
                           Update
                           200112
                                       552
     CLAIMS A
               (English)
                                      2271
                (English)
     SPEC A
Total word count - document A
                                      2823
Total word count - document B
                                         0
Total word count - documents A + B
                                      2823
2/5/2
           (Item 2 from file: 348)
DIALOG(R) File 348: EUROPEAN PATENTS
(c) 2003 European Patent Office. All rts. reserv.
01208471
Dictation function in a cellular telephone
Diktier-Funktion in einem zellularen Telefon
Fonctionnalite de dictee dans un telephone cellulaire
PATENT ASSIGNEE:
  LUCENT TECHNOLOGIES INC., (2143720), 600 Mountain Avenue, Murray Hill,
    New Jersey 07974-0636, (US), (Applicant designated States: all)
INVENTOR:
  Veschi, John P., 8468 Oak Knoll Street, Fogelsville, Pennsylvania 18051
    , (US
LEGAL REPRESENTATIVE:
  Williams, David John et al (86433), Page White & Farrer, 54 Doughty
    Street, London WC1N 2LS, (GB)
PATENT (CC, No, Kind, Date): EP 1051015 A2 001108 (Basic)
APPLICATION (CC, No, Date):
                              EP 303458 000425;
PRIORITY (CC, No, Date): US 303443 990503
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;
  LU; MC; NL; PT; SE
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS: H04M-001/725
ABSTRACT EP 1051015 A2
    A wireless telephone dictation device includes a dictation mode in
  addition to an otherwise conventional wireless telephone mode. The
  dictation functionality of the wireless telephone dictation device is
  inconspicuous to those around the user of the device, and appears as if
  the device is a conventional wireless telephone. In a dictation mode, the
  wireless telephone dictation device records verbal passages from a user
  into an appropriate digital memory (or onto an analog cassette tape),
  under the control of buttons resembling those of a conventional wireless
  telephone (e.g., using various number keys of a twelve (12) digit
  alphanumeric keypad). The wireless telephone dictation device operates in
  an otherwise conventional fashion in a wireless telephone mode, allowing
  conventional wireless telephone (e.g., cellular telephone) functionality.
  A speech-to-text converter can be included to convert recorded verbal
  passages into text for display on an appropriate display. Preferably, the
  text display resembles that of a conventional wireless telephone. The
  wireless capability of the wireless telephone dictation device may be
  utilized to allow transfer of recorded dictation between wireless
  telephone dictation devices, or between a wireless telephone dictation
  device and a land-based dictation database.
ABSTRACT WORD COUNT: 188
NOTE:
  Figure number on first page: 1
LEGAL STATUS (Type, Pub Date, Kind, Text):
                  001108 A2 Published application without search report
 Application:
                  010516 A2 Legal representative(s) changed 20010329
LANGUAGE (Publication, Procedural, Application): English; English; English
FULLTEXT AVAILABILITY:
Available Text Language
                                     Word Count
                           Update
```

200045

200045

634

3008

(English)

(English)

CLAIMS A

SPEC A

Total	word	count	-	document A			3642
Total	word	count	-	document B			0
Total	word	count	-	documents .	A +	В	3642